

Sodium Dithionite

1. Identification

Product	Sodium Dithionite
CAS / EC	7775-14-6 / 231-890-0
Use	Reducing agent for mechanical-pulp brightening, textile vat dyeing and reduction cleaning.
Uses advised against	Unassessed consumer, medical or other applications outside the qualified grade and intended use.
Supplier	Hainan Zhongxin Chemical Co., Ltd. (ZXCHEM)
Address	Room 1001, Building A, Caohejing Center, No. 1520 Gumei Road, Xuhui District, Shanghai, China
Contact	+86-21-54265599 sales@zxchem.com.cn www.zxchem.com
Emergency contact	+86-21-54265599; office hours, China time UTC+8. For an urgent incident, contact local emergency services.
Scope	Reference safety information for Sodium Dithionite. The reference composition, concentration and supply-grade differences are described in Section 3. This document does not certify the composition or transport status of a specific delivered batch or a different formulation.

2. Hazard identification

Classification	Self-heating 1; acute oral toxicity 4; serious eye irritation 2.
Signal word	Danger
Pictograms	GHS02, GHS07
Hazard statements	H251: Self-heating; may catch fire. H302: Harmful if swallowed. H319: Causes serious eye irritation.
Prevention	P264: Wash exposed skin after handling. P280: Wear suitable protective gloves, clothing and eye protection. P270: Do not eat, drink or smoke when using this material.
Response	Follow the exposure-specific first-aid measures in Section 4. Remove contaminated clothing. Seek urgent advice for severe symptoms.
Storage / disposal	Keep closed under the conditions in Section 7. Dispose through an authorized waste route under local rules.
Other hazards	Dust, splashes, process conditions and decomposition can create exposure risks not represented by the commercial assay.
Supplemental hazard	EUH031: Contact with acids liberates toxic gas.
Self-heating precautions	P235/P410/P407/P420: Keep cool, protect from sunlight, maintain air gaps between stacks and store separately.



3. Composition/information on ingredients

Sodium Dithionite / component	7775-14-6; EC 231-890-0
Supply concentration or grade	85% / 88% / 90% grades
Composition scope	Solid sodium dithionite reference identified as 85% grade, with the substance listed in composition. Commercial 85/88/90% grades are separately specified in the TDS. Reference does not certify residual constituents or food-market authorization.

4. First-aid measures

Eye contact	Rinse eyes immediately with water for at least 15 minutes; remove contact lenses when easily possible and continue rinsing. Seek medical attention if irritation persists.
Inhalation	Move to fresh air without exposing rescuers. Seek medical attention for persistent or developing symptoms.
Skin contact	Remove contaminated clothing and rinse thoroughly with water. Seek care if irritation or rash develops; wash clothing before reuse.
Ingestion	Rinse the mouth. Do not induce vomiting or give anything by mouth to an unconscious person. Seek medical advice after substantial ingestion or if symptoms occur.
Symptoms	Harmful if swallowed and causes serious eye irritation. Dust can irritate the respiratory tract.
Immediate treatment	Treat symptoms. Seek medical advice for persistent effects; protect rescuers against secondary exposure.

5. Fire-fighting measures

Media / specific hazards	Use extinguishing media appropriate to the surrounding fire and the chemical incident. The material can self-heat and ignite. Cool undamaged containers from a safe location; prevent uncontrolled wetting and retain contaminated firewater.
Protection	Use full protective equipment and self-contained breathing apparatus. Fight from a safe position; contain contaminated firewater and cool exposed containers when safe.

6. Accidental release measures

Personal / environmental precautions	Restrict entry, avoid exposure and prevent environmental release. Use the controls and protection in Section 8.
Containment / cleanup	Exclude unprotected personnel and collect the solid without creating airborne dust, using suitable tools and labeled waste containers. Prevent drain and waterway entry.
References	See Sections 7, 8 and 13 for handling, protection and disposal.

7. Handling and storage

Handling	Avoid contact and inhalation; maintain ventilation and good hygiene. Use suitable equipment and prevent chemical contamination.
Storage	Keep cool and dry in tightly closed original packaging. Protect from sunlight and moisture; separate from acids and oxidizers. Maintain suitable air gaps between stacks.
Incompatibilities	Self-heating solid. Avoid heat, moisture, acids, oxidizers and incompatible chemicals. Acids can release toxic gas; hot water and acidic solutions accelerate decomposition. Keep dry product separate from incompatible residues.
Specific end use	Reducing agent for mechanical-pulp brightening, textile vat dyeing and reduction cleaning.

8. Exposure controls/personal protection

Control parameters	No supply-specific occupational exposure limit or DNEL/PNEC is established by this record. Apply local substance and particulate exposure limits where relevant.
Engineering and personal protection	Use closed transfer or local extraction. Provide an eyewash and safety shower. Wear chemical-resistant gloves selected for the actual exposure, protective clothing and splash goggles. For airborne dust, use a suitable approved respirator selected through a workplace risk assessment; emergency or unknown atmospheres require independent air supply.
Hygiene / environmental control	Wash after handling; separate contaminated clothing. Contain product and process effluent; do not eat or drink in handling areas.

9. Physical and chemical properties

Physical state / appearance	White free-flowing crystalline powder
Formula / formula weight	Na ₂ S ₂ O ₄ ; 174.11 g/mol; component identity
Water-insoluble matter	≤0.05 %
Odor / odor threshold	No supply-grade value provided.
Boiling / decomposition point	No supply-grade limit provided.
Flammability / flash point	No supply-grade test value provided; see fire and reactivity information in Sections 5 and 10.
Vapor pressure / density	No supply-grade value provided.
Partition coefficient / autoignition	No supply-grade value provided.

10. Stability and reactivity

Reactivity / stability / reactions	Self-heating solid. Avoid heat, moisture, acids, oxidizers and incompatible chemicals. Acids can release toxic gas; hot water and acidic solutions accelerate decomposition. Keep dry product separate from incompatible residues.
Conditions and materials to avoid	Follow the incompatible-material and storage requirements in Section 7.
Decomposition products	See Section 5. No normal-storage decomposition is indicated under the recommended conditions.

11. Toxicological information

Routes / effects	Harmful if swallowed and causes serious eye irritation. Dust can irritate the respiratory tract. Reference oral LD ₅₀ rat 2500mg/kg is not a supply-batch test or grounds to remove its assigned oral hazard category.
Other endpoints	Supply-batch sensitization, mutagenicity, carcinogenicity, reproduction and repeated-dose testing has not been provided. This does not override the classifications and target organs listed in Section 2.
Mixture assessment	Reference-substance or component results are not delivered-batch analytical or toxicological results.

12. Ecological information

Aquatic toxicity / behavior	Reference identifies harmful aquatic effects but no transport marine-pollutant designation. Prevent entry to waterways; grade-specific persistence and bioaccumulation data are not supplied.
Other environmental endpoints	Supply-batch PBT/vPvB, endocrine-disruption, persistence, degradation, mobility and bioaccumulation assessments have not been provided. Do not infer absence of effects from missing data.

13. Disposal considerations

Product and residues	Characterize waste under applicable local rules and use a licensed waste contractor. Do not discharge chemical residues or contaminated process water to drains.
Contaminated packaging	Do not reuse contaminated packaging for unrelated purposes. Handle retained material with the same protection as the product and use an authorized disposal or return route.

14. Transport information

ADR / RID	UN 1384; SODIUM DITHIONITE; Class 4.2; packing group II
IMDG	UN 1384; SODIUM DITHIONITE; Class 4.2; packing group II
IATA	UN 1384; SODIUM DITHIONITE; Class 4.2; packing group II
Environmental hazards	No transport environmental-hazard designation in the matched reference.
Special precautions	Use authorized packaging, labels and trained personnel for the applicable mode. Quantity exemptions depend on the consignment and are not assumed.
Bulk transport	The packaged-product reference does not establish authorization for maritime bulk transport.
Scope	Transport entries apply to the reference identity, concentration and form described in Section 3. Changes in composition require reassessment.

15. Regulatory information

Classification framework	GHS/CLP reference classification is given for the material in Section 3. Local worker-protection, labeling, transport, environmental and end-use requirements apply.
Registration / use status	No supply-specific registration number, market authorization or end-use certification is established by this reference record.
Chemical safety assessment	No supply-formulation chemical safety assessment is supplied by ZXCHEM in this record.

16. Other information

Revision date	2026-10-13; initial ZXCHEM reference safety document, version 2026.1.
Abbreviations	ADR/RID: road/rail dangerous goods; IMDG: maritime dangerous goods; IATA: air dangerous goods; PG: packing group; LD50/LC50: median lethal dose/concentration; STOT: specific target organ toxicity.
Use of information	Use together with the grade TDS and a workplace assessment. Concentration, solvent, impurity or physical-form changes require applicable safety information.
Document scope	Reference safety information for the material and grade described in Sections 1 and 3. Different concentrations, solvents or formulations require the applicable safety information. This is not a batch analytical certificate.

Revision: 2026.1 | Revision date: 2026-10-13