

Collagen Casing

HONSEN®

Edible tubular collagen casing supplied in rolled and shirred formats for fresh, smoked, dried and fried sausage processing.

Source	Animal collagen
Physical form	Rolled and shirred tubular casing

Product Information

Collagen casing is formed from animal collagen into a continuous edible tube. Rolled formats are listed in calibers of 10–16 mm; shirred formats are listed in calibers of 17–28 mm. Product selection takes account of processing method, casing diameter and the required length per roll or stick.

The specification covers physical appearance, dry-basis protein, moisture, ash, fat, humectants and microbiological parameters. Carton configurations vary by caliber. Closed storage at the stated temperature and humidity maintains the supplied casing condition.

Product series: HONSEN® F-R · HONSEN® F-SH · HONSEN® S-R · HONSEN® S-SH · HONSEN® D-R · HONSEN® D-SH · HONSEN® FRY-R · HONSEN® FRY-SH

Specifications

Parameter	Specification
Shape	Seamless tube; no holes or adhesion
Color	Clear
Odor	Weak smoked or characteristic odor
Protein (N × 5.55), dry basis	≥48 g/100 g
Ash	≤3%
Moisture	17–25%
Fat	2–10%
Humectants	13–16.5%
Mold count	≤50 CFU/g
Salmonella	Absent
Escherichia coli	≤30 CFU/g

Typical values. The COA of each batch prevails.

Product Series

HONSEN® F-R	Fresh sausage processing; rolled format.;
HONSEN® F-SH	Fresh sausage processing; shirred format.;
HONSEN® S-R	Smoked sausage processing; rolled format.;
HONSEN® S-SH	Smoked sausage processing; shirred format.;
HONSEN® D-R	Dried sausage processing; rolled format.;
HONSEN® D-SH	Dried sausage processing; shirred format.;
HONSEN® FRY-R	Fried sausage processing; rolled format.;
HONSEN® FRY-SH	Fried sausage processing; shirred format.;

Typical Properties & Commercial Information

HS code	3917.10
MOQ	1 carton
Packing	Carton
Lead time	Approximately 14 days
Free sample	500 g
Incoterms	FOB / CFR / CIF
Supply	400,000,000 m/year

Free sample: up to 500 g. Courier cost payable or use your courier account.

Applications

Fresh sausage filling: Rolled and shirred collagen casings provide two supply formats for fresh sausage production.

Smoked and dried sausages: Select the smoked or drying series according to the production process.

Fried sausage processing: The frying series is available in rolled and shirred formats.

Packaging & Storage

Packaging	Carton
Storage	Keep packages closed at 10–25°C and 50–70% relative humidity.
Shelf life	2 years in intact original packaging.
Rolled 10mm	500 m/roll; 18 rolls/carton; 9,000 m/carton
Rolled 11mm	500 m/roll; 18 rolls/carton; 9,000 m/carton
Rolled 12mm	500 m/roll; 18 rolls/carton; 9,000 m/carton
Rolled 13mm	500 m/roll; 17 rolls/carton; 8,500 m/carton
Rolled 14mm	500 m/roll; 15 rolls/carton; 7,500 m/carton
Rolled 15mm	500 m/roll; 15 rolls/carton; 7,500 m/carton
Rolled 16mm	500 m/roll; 12 rolls/carton; 6,000 m/carton
Shirred 17mm	14 m/stick; 66 sticks/caddy; 10 caddies/carton; 9,240 m/carton
Shirred 18mm	14 m/stick; 55 sticks/caddy; 10 caddies/carton; 7,700 m/carton
Shirred 19mm	14 m/stick; 50 sticks/caddy; 10 caddies/carton; 7,000 m/carton
Shirred 20mm	14 m/stick; 48 sticks/caddy; 10 caddies/carton; 6,720 m/carton
Shirred 21mm	15 m/stick; 45 sticks/caddy; 10 caddies/carton; 6,750 m/carton
Shirred 22mm	15 m/stick; 36 sticks/caddy; 10 caddies/carton; 5,400 m/carton
Shirred 23mm	15 m/stick; 34 sticks/caddy; 10 caddies/carton; 5,100 m/carton
Shirred 24mm	15 m/stick; 32 sticks/caddy; 10 caddies/carton; 4,800 m/carton
Shirred 25mm	15 m/stick; 30 sticks/caddy; 10 caddies/carton; 4,500 m/carton
Shirred 26mm	15 m/stick; 28 sticks/caddy; 10 caddies/carton; 4,200 m/carton
Shirred 28mm	14 m/stick; 28 sticks/caddy; 10 caddies/carton; 3,920 m/carton

Certifications & Documents

ISO 9001 · ISO 22000 · HACCP · KOSHER · FSSC 22000 · GMP · HALAL

Batch COA, technical data sheet and available safety documentation.

Company Contact

Supplier: Hainan Zhongxin Chemical Co., Ltd. (ZXCHEM)

Shanghai office: Room 1001, Building A, Caohejing Center, No. 1520 Gumei Road, Xuhui District, Shanghai, China

Telephone: +86-21-54265599

Email: sales@zxchem.com.cn

Website: www.zxchem.com

The agreed purchase specification and the COA of each batch govern supply.